

SMD 3mm Ceramic Trimmer Capacitor

PC01 series have been developed for higher density surface mounting in electronic devices, and is suited to miniature, low profile capacitors with many useful features.

Features


- * Miniature and Low profile capacitor
- * Mountable by automatic placer
- * Re-flow soldering applicable
- * Easy adjustment by using a conventional screw driver
- * Color-coded according to its capacitance range

Specifications


- * Operation Temperature Range: -25°C to +85°C
- * Working Voltage: 100VDC
- * Withstanding Voltage: 220VDC
- * Insulation Resistance: 10,000 min.at 100VDC
- * Rotation Torque: 20-100gf/cm
- * Soldering Temperature: 260°C +/-5°C




PRODUCT DIMENSION



TAPING PACKAGE DIMENSION



WHEEL PACKAGE DIMENSION



Part No	Capacitance(pF)		Temperature(ppm/°C)	Q(1MHz, Cmax)
	Min	Max		
CVN3030	1.7	3	NP 0 ± 300	>500
CVN3060	2.5	6	NP 0 ± 300	>500
CVN3100	3.5	10	NP750 ± 300	>500
CVN3200	5.5	20	NP 1200 ± 500	>300
CVN3300	7.5	30	NP 1800 ± 600	>300

Electrical Characteristics

a) Capacitance drift after adjustment

Rotation shall be made for 5 cycles for 180° at a rate of 20r/min. The capacitance value immediately changed after the shaft is stopped at the position of the maximum capacitance value, and after 24 hours, the measured value is 5pF, 10pF±1.5% and 30pF±2%

b) Withstanding voltage

Applied 220VDC (less than 5mA) for 5 seconds between the terminals, no defect was found.

c) Insulation resistance

The test was made under almost at maximum capacitance setting, shall be not less than 10,000MΩ, when measured at the 100VDC applied between terminals for 1 minute.

d) Q (Quality Factor)

When measured at 20°C, 0.5V to 5V, 1MHz and maximum capacitance, The Q factor shall be not less than specified.

e) Temperature Coefficient

Capacitance change measurement at 80 to 90 percent of maximum rated capacitance, shall be made at temperature specified in Table 3 and frequency at 1MHz. Each measurement shall be made after the capacitor has reached thermal stability. (Thermal stability has been reached when no further changed in capacitance is obtained between two successive measurements taken at 5 minutes intervals)

[Table 1]

Step	1	2	3	4	5
Temperature (°C)	20±2°C	-20±2°C	20±2°C	20±2°C	20±2°C

The capacitance change shall be within the limits that specified in Table 1.

$$TC(PPM/^{\circ}C) = \frac{(C_2 - C_1) \cdot 10^6}{(T_2 - T_1) \cdot C_1}$$

C1 : Initial capacitance value in PF at step 3

T1 : 20°C

C2 : Capacitance in specified temperatle in PF

T2 : Test temperature in °C at (step 3 or 4)

f) Temperature Capacitance drift

Calculation of temperature capacitance drift shall be based on the maximum deviation between two of three times of measurements for capacitance at 20°C (see table 1) The temperature capacitance drift shall be within ±3%

Mechanical Characteristics

9.1 Torque

The torque test should be done by rotating the rotor through one full turn within 15~80gf.cm. Please noted that it might cause the torque will decrease against the rotation increase.

9.2 Vibration

The maximum capacitance was set at 80 to 90% , however it shall be subjected to vibration test at 1.5mm amplitude, with frequency range from 10 to 55 Hz ,and then return to 10 Hz for 1 minute applied for 2 hours in each of three mutually perpendicular planes. (total 6 hours) The capacitor shall be rigidly mounted by their normal mounting means .The vibration capacitance shall be within ±0.25pF or ±2% (whichever is greater).

9.3 Solder ability

When test under the condition of table 2, the dipped of the terminal shall be at least 75% wetted with new solder coating.

[Table 2]

Item	Condition
Flux	Rosin (25%) + Methanol
Solder Temperature	260±5°C
Dipping duration	3±0.5 seconds

Special Test

10.1 Moisture resistance

The capacitor set at 80 to 90 percent of maximum rated capacitance, shall be kept at 40±20°C with 90 to 95 percent relative humidity for 96±4 hours. After removed from the humidity chamber, the capacitor shall be kept for 24 hours at the ambient conditions specified for the initial measurements, the moisture resistance shall be within ±5%.

10.2 Rotational life

The capacitor set at the maximum capacitance position, its rotor shall be rotated for 180 clockwise, return to original position, and rotate 180° counter clockwise, and return to the original position, this counted as 1 cycle. By changing the direction of rotation successively, the rotor shall be rotated continuously for 20 cycles. Measurement shall be made at the maximum capacitance position. After test , the changed capacitance shall be within ±0.5pF or ±12% (whichever is greater)

10.3 Lifetime (High Temperature Loading)

The capacitor set at 80 to 90 percent of maximum rated capacitance, shall be subjected to 96±4 hours at 85±3°C with 200 percent loading of rated voltage. After life test, the changed capacitance shall be within ±0.5pF or ±5% (whichever is greater).